EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	27	"daniell".in. and "malik".in. and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 10:03
S5	15	"daniell".in. and "malik".in. and email.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 10:03
S8	4	bellsouth.as. and token$5 with (mail or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 10:32
S17	22	709/206.ccls. and ((email or e-mail or message or mail) with token$5 with spam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:06
S18	24	709/206.ccls. and ((email or e-mail or message or mail) with token$5 with spam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:19
S19	5749	709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:19
S20	439	709/206.ccls. and @pd>"20080331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:19
S21	36	"daniell".in. and "malik".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:19
S22	0	bellsouth.as. and token$5 with (mail or email or e-mail or message) same spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:20

S23	3319	bellsouth.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/13 09:20
S26	74	709/206.ccls. and @ad<"20031014" and (token $5 or digest or hash$4) near5 (message or word or string or token or content) and ((spam or junk or bulk) near5 (email or mail or e-mail or "electronic mail"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 10:37
S28	25	709/206.ccls. and @ad<"20031014" and (token $5 or digest or hash$4) near5 (message or word or string or token or content) and ((spam or junk or bulk) near5 (email or mail or e-mail or "electronic mail")) same (sort $5 or order$5 or arrang$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 10:45
S43	16	"709"/$3.ccls. and @ad<"20031014" and (sort or sorting or sorted or ordering or "order of") near3 (select$5 or pick$5 or choos $5 or chose$4) near3 (greatest or top or best or most)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 12:56
S44	337	@ad<"20031014" and (sort or sorting or sorted or ordering or "order of") near3 (select$5 or pick$5 or choos $5 or chose$4) near3 (greatest or top or best or most)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 12:59
S47	6	"daniell".in. and "malik".in. and @pd>"20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/14 13:16
S48	191	bellsouth.as. and @pd>"20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/14 13:16
S49	1067	709/206.ccls. and @pd>"20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/14 13:17

S50	17	("709"/$3.ccls. or 715/254.ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad<"20031014" or @rlad<"20031014") and (search$4 or locat$4 or remov$4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5 or alphabetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 13:22
S54	19	("709"/$3.ccls. or 715/254.ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad<"20031014" or @rlad<"20031014") and (search$4 or locat$4 or remov$4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5 or alphabetic$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 13:30
S59	28	(@ad<"20031014" or @rlad<"20031014") and (search$4 or locat$4 or remov$4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5 or alphabetic$3)) near3 (character$4 or word or letter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 13:32
S62	24	(@ad<"20031014" or @rlad<"20031014") and (search$4 or locat$4 or remov$4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5) near3 (character$4 or word or letter or command$3 or control$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:05
S63	770	(search$4 or locat$4 or remov$4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5 or alphabetic$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:06

S65	265	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad< "20031014" or @rlad< "20031014") and (remov$4 or delet$4 or pars $4 or ignor$4 or extract$4) near5 (format$4 or (("non" or "not") adj (display$4))) near2 (text or character or string or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:38
S66	134	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad< "20031014" or @rlad< "20031014") and (remov$4 or delet$4 or extract$4) near5 (format$4 or (("non" or "not") adj (display$4))) near2 (text or character or string or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:38
S83	1	(US-20050091321-$).did.	US-PGPUB	OR	ON	2009/05/15 12:36
S84	0	S83 and display$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 12:37
S85	1	S83 and display$4 with token $4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 12:43
S86	1	S83 and (remov$4 or filter$4) with ("non" or "not") adj display$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 12:44
S87	40	"daniell".in. and "malik".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/13 11:37
S88	3468	bellsouth.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/13 11:37

S89	848	(search$4 or locat$4 or remov $4 or delet$4 or extract$4 or determin$4) near3 (("non" or "not") adj (display$5 or alphabetic$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:37
S90	8	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad< "20031014" or @rlad< "20031014") and (remov$4 or delet$4 or extract$4) near5 (format$4 or (("non" or "not") adj (display$4))) near2 (text or character or string or instruction) and @pd> "20090501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:37
S92	894	709/206.ccls. and @pd> "20090501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/13 11:38
S93	39	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad< "20031014" or @rlad< "20031014") and (filter $4 or remov$4 or pars$5) near5 ("non-alphabetic" or format$5) near3 (character or token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:42
S94	6	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad< "20031014" or @rlad< "20031014") and (filter $4 or remov$4 or pars$5) near5 ("non-alphabetic" or format$5) near3 (character or token) and (detect$4 or determin$4) near5 (space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:42
S95	23	(@ad< "20031014" or @rlad< "20031014") and (filter $4 or remov$4 or pars$5) near5 ("non-alphabetic" or format$5) near3 (character or token) and (detect$4 or determin$4) near5 (space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:42

S96	8	((@ad<"20031014" or @rlad<"20031014") and (filter $4 or remov$4 or pars$5) near5 ("non-alphabetic" or format$5) near3 (character or token) and (detect$4 or determin$4) near5 (space) and (solitary or sole or single) near5 ("i" OR "a")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:43
S97	248	((@ad<"20031014" or @rlad<"20031014") and (adjacent near5 (solitary or letter) near5 ("I" or "a"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:54
S98	19	((@ad<"20031014" or @rlad<"20031014") and (space or blank) near5 (adjacent near5 (solitary or letter) near5 ("I" or "a"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:55
S101	21	((@ad<"20031014" or @rlad<"20031014") and ((detect$5 or pars$5 or extract$5) near5 words) and ((delet$5 or remov$4 or extract$4) near5 (non-alphabetic or symbols or formatting)) and ((single or "one") adj (letter or character) near3 (word or token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:08
S103	73	((@ad<"20031014" or @rlad<"20031014") and ((detect$5 or pars$5 or extract$5) near5 words) and ((delet$5 or remov$4 or extract$4) near5 (non-alphabetic or symbols or formatting)) and ((delet$5 or remov$4 or extract$4) near3 (whitespace or space or blank))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:19
S104	4	((@ad<"20031014" or @rlad<"20031014") and ((detect$5 or pars$5 or extract$5) near5 words) and ((delet$5 or remov$4 or extract$4) near5 (non-alphabetic or symbols or formatting)) and ((delet$5 or remov$4 or extract$4) near3 (whitespace or space or blank)) and ((whitespace or space or blank) near5 ("adjacent" or "near" or nearby or proximity or close)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:20

		near3 (character or word or "i"))				
S107	13	(@ad<"20031014" or @rlad<"20031014") and (delt $5 or remov$4 or pars$4 or extract$4 or discard$4) with (symbol or format$4 or space or non-alphabetic or non-alphanumeric) with ((character or word) near2 (I))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:37
S108	2	("adjacent" or "near" or beside or proximate or location or located) near3 solitary near2 (word or character or letter) near2 ("a" or "i")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:40
S112	247	(@ad<"20031014" or @rlad<"20031014") and ((detect$5 or pars$5 or extract$5 or delet$4 or remov $4) with (single or "one") near2 character near2 (word or token or candidate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:10
S117	7	(@ad<"20031014" or @rlad<"20031014") and ((character adj by adj character) or (per adj character) or (iterating near2 character)) with (filter$4 or discard$4 or remov$4 or extract$4 or pars$4 or detect $4) with (symbol or (non adj alphabetic) or "non-alphabetic" or space or (white adj space) or whitespace or non-display$4 or (non adj display$4) or hidden)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:21
S121	156	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad<"20031014" or @rlad<"20031014") and (filter $4 or discard$4 or remov$4 or extract$4 or pars$4 or detect$4) near5 (symbol or (non adj alphabetic) or "non-alphabetic" or space or (white adj space) or whitespace or non-display$4 or (non adj display$4) or hidden) near5 (character or token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:23

S122	47	S121 and (single or one) adj character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:29
S124	10	"daniell".in. and "malik".in. and @pd>"20091113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/07/12 18:25
S125	92	bellsouth.as. and @pd>"20091113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/07/12 18:26
S126	304	709/206.ccls. and @pd>"20091113" and (@ad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/07/12 18:26
S127	5	("709"/$3.ccls. or 715/254. ccls. or 715/255.ccls. or 707/3.ccls. or 704/2.ccls. or 704/9.ccls.) and (@ad<"20031014" or @rlad<"20031014") and (filter $4 or remov$4 or pars$5) near5 ("non-alphabetic" or format$5) near3 (character or token) and (detect$4 or determin$4) near5 (space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 18:26
S128	4	("adjacent" or "near" or beside or proximate or location or located) near3 solitary near2 (word or character or letter) near2 ("a" or "i")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 18:26
S129	211	(token$5 or digest or hash$4) near5 (message or word or string or token or content) and ((spam or junk or bulk) near5 (email or mail or e-mail or "electronic mail")) same (sort$5 or order$5 or arrang $5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 18:27
S133	6	S130 and mean	USPAT	OR	OFF	2010/07/12 18:40

7/ 12/ 2010 7:56:35 PM
H:\ EAST\ Workspaces\ 685656 - Amendment and RCE.wsp